

VEHICULE	UNIT(S)	PEUGEOT BOXER 3,5T
GENERATOR	1	HONDA EV3610 14A
ELECTRICITY		TRIPHASE, 3X16A, 220V (maximum distance from source 45m)
INVERTER	1	INSOFEC E3
AIR CONDITIONER	1	TRUMA SAPHYR
SEATS	3 to 5	REAL, AUDIO, 3G/4G, HF, GRAPHICS, COLOR, SLOW

VIDEO	UNIT(S)	HD/4K
VIDEO MIXER	1	FOR A. , HVS-100 OU, 12 INPUTS, 2 KEYS, 2 DSK, HD/4K (SQD)
ROUTING SWITCHER	1	FOR A. , MFR-3000, MFR-30FP, 64 X 64 IN AND OUT, HD/4K
COLOR CONTROL	4	TCUBE FIG HD
MONITORS	2	CONTROLE IMAGE KONVISION, KVM-9051W, 3G/HD/SD-SDI inputs, 1920x1200,
MONITORS	3	PRODUCTION KONVISION, KRM-404A, 4 x 4.2", 3G-SDI, 1280 x 768
MONITORS	2	PRODUCTION KONVISION, KRM-503A, 3 x 5.5, 3G-SDI, 1920x1080,
MONITORS	1	PRODUCTION KONVISION, KFM-1753W,17,3", 1RU compact, 3G-SDI, 1920x1080,
MONITORS	2	PRODUCTION KONVISION, KRM-902A(o), 2 X 8.9", 3G/HD-SDI, 1920x1200
MONITORS	1	3G/4G/HF CONTROL KONVISION, KRM-902A(o), 2 X 8.9", 3G/HD-SDI, 1920x1200
MONITORS	1	3G/4G/HF CONTROL KONVISION, KRM-404A, 4 x 4.2", 3G-SDI, 1280 x 768
MONITORS	1	3G/4G/HF CONTROL KONVISION, KRM-503A, 3 x 5.5, 3G-SDI, 1920x1080,
MONITORS	1	GRAPHIC UNIT KONVISION, KRM-902A(o), 2 X 8.9", 3G/HD-SDI, 1920x1200
SLOW MOTION	1	GRASS VALLEY K2 SUMMIT (4 CANAUX), HD
SLOW MOTION	1	REMOTE K2 DYNO
3G/4G EMITTERS	4	AVIWEST, DMNG PRO 180, 8SIM CARDS SLOTS, HD/SD
3G/4G SERVERS	1	AVIWEST, RECEPTION SERVER, 16 IN/4 OUT, HD/SD
ENCODER	1	AJA FS4
ENCODER	2	AJA FS1 used with Tandberg RX6000 for upscale SD to HD (temporaire)
HF TRANSMITTER	2	TANDBERG 2011
HF RECEIVER	2	TANDBERG, RX6000 , SD TO HD UPSCALE WITH AJA FS1
UHF SPLITTER	3	TANDBERG (2 IN, 6 OUT)
SPECTRE-ANALYSOR	1	PROMAX EXPLORER 2
RECORDER	1	BMD HYPERDECK STUDIO PRO
RECORDER	1	SONY XDCAM EX-30 (SXS)
CAMERAS	4	SONY XDCAM EX 3
CAMERAS	1	SONY XDCAM EX 1
REMOTED CAMERA	1	PANASONIC AW-UE70WEJ, WITH OUTDOOR HOUSING, 17 METERS MAT, AW-RP50 Compact Remote
GRAPHIC UNIT	1	NewBlueFX Complete

AUDIO	UNIT(S)	
AUDIO MIXER	1	ALLEN & EATH, SQ5, 48 MIC INPUTS
AUDIO EXPANSION	2	DX168, 16 Mic Preamps, 8 XLR Line Outs
RADIO	2	STATIONS KENWOOD TK-8162
RADIO	6	KENWOOD TK-3160
INTERCOM 3G/4G	4	GLENSOUND MPI 004
INTERCOM 3G/4G	4	CELLULAR PHONE, USED WITH DMNG PRO 180
INTERCOM 3G/4G	1	M-AUDIO FASTRACK ULTRA 8R (SECURITE)
INTERCOM	1	SONIFEX CM TB8

NETWORK	UNIT(S)	
INTERNET	1	D-LINK DIR-655
INTERNET	1	NETGEAR PROSAFE 24 PORTS GIGABIT SWITCH
INTRANET FORA	1	NETGEAR 5 PORTS
INTERNET NEEDS		SEE PAGE 2



INTERNET NEEDS
IMPORTANT

IP fixe (statique) publique IPV4

DNS, Gateway, Router

Les ports internet suivants doivent impérativement être ouverts:

UDP: 7900 à 7916

TCP: 80, 5322, 8888

sans firewall.

Download: 50Mbit/s (minimum)

Upload: 50Mbit/s





LIVE PRODUCTIONS & STUDIOS | LIVETV.CH

OB VAN dimensions

